

HP Designjet Z6810 60-in Production Printer imprimante de format mare Inkjet termală Culoare 2400 x 1200 DPI A1 (594 x 841 mm) Ethernet LAN

Marcă : HP Familia de produse: Designjet Codul produsului: 2QU14A

Nume produs: DesignJet Z6810 60-in Production Printer

Thermal inkjet, A1 (594 x 841 mm), 2400 x 1200dpi

HP Designjet Z6810 60-in Production Printer imprimante de format mare Inkjet termală Culoare 2400 \times 1200 DPI A1 (594 \times 841 mm) Ethernet LAN:

Achieve impressive results to meet your customers' high-quality expectations. Accommodate production peaks and handle more jobs to increase your production volumes. Use your current RIPs^[2] and enjoy new tools that help you simplify your workflow.

HP Designjet Z6810 60-in Production Printer. Tehnologia tipăririi: Inkjet termală, Rezoluția maximă: 2400 x 1200 DPI, Limbi pagină descriere: HP-GL/2, HP-RTL, CALS G4. Mărimea maximă de tipărire: A1 (594 x 841 mm), Tip tavă hârtie imprimare: Banner, Hârtie de scris (bond), Hârtie cretată, Hârtie fotografică, Formate ISO serie-A (A0...A9): A1. Viteză transfer de date Ethernet LAN: 1000 Mbit/s. Culoarea produsului: Negru, Memorie internă: 1024 Mega bites, Capacitate internă de stocare: 500 Giga Bites. Consum de energie (tipic): 270 W, Consum de energie (oprit): 0,3 W, Consum de energie (în repaos): 5,3 W





Printing		Performance	
Print resolution colour Print technology * Colour * Maximum resolution * Number of print cartridges *	2400 x 1200 DPI Thermal inkjet ✓ 2400 x 1200 DPI 8	Certification	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI), Korea (MSIP)
Page description languages *	HP-GL/2, HP-RTL, CALS G4	Brand-specific features	
Drinting calcure *	Chromatic red, Light Cyan, Light	HP Jetdirect	✓
Printing colours *	grey, Light magenta, Magenta, Matte black, Photo black, Yellow	Power	
Copying		Power consumption (typical)	270 W
Copying *	×	Power consumption (off)	0.3 W
Scanning		Power consumption (sleep) AC input voltage	5.3 W 100 - 240 V
Scanning *	×	AC input frequency	50/60 Hz
Paper handling		Operational conditions	
Maximum print size *	A1 (594 x 841 mm)	Operating temperature (T-T)	5 - 40 °C
Paper tray media types *	Banner, Bond paper, Coated paper, Photo paper	Operating relative humidity (H-H) Storage temperature (T-T)	20 - 80% -20 - 55 °C
ISO A-series sizes (A0A9)	A1	Sustainability	
Media thickness Maximum roll diameter	0.6 mm 17 cm	Sustainability compliance	✓
Media width (rolls)	280 - 1524 mm	Sustainability certificates	ENERGY STAR
Ports & interfaces		Weight & dimensions	
Wi-Fi *	×	Width	2430 mm
Ethernet LAN *	✓	Depth	690 mm
USB port *	×	Height Weight	1370 mm 190 kg
Ethernet LAN data rates	1000 Mbit/s	Packaging data	130 kg
Performance		Packaging data Package width	2684 mm
Product colour *	Black	Package depth	750 mm
Internal memory	1024 MB	Package height	1200 mm
Internal storage capacity Storage media	500 GB HDD	Package weight	222 kg
Storage media	1100		

Packaging data	
Bundled software	Printer drivers, HP Click, HP DesignJet Utility including HP Color Center





















